

# BURZYNSKI

the movie

KELSEY HILL'S TUMOR MEASUREMENTS

DIAGNOSIS: CANCER OF THE ADRENAL GLAND  
(removed with surgery)

WITH METASTASIS TO THE LUNGS AND LIVER  
(treated only with antineoplastons)

These medical records are made available for public viewing by written permission from the Hill family, in cooperation with the Burzynski Clinic.

[www.burzynskimovie.com](http://www.burzynskimovie.com)

\* Disclaimer: This documentary film, and its website is not associated with the Burzynski Clinic or the Burzynski Research Institute. All information contained in the film, its website, and downloadable documents are not intended to replace professional medical advice. If you are suffering from an illness, you should consult with a board-certified, licensed medical professional.

# Tumor Measurements

**Hill, Kelsey**  
 010526  
 KEH-AD-02-05

Start Date: 10/26/2005  
 Stop Date:

*Measurements are in centimeters*

Start Date+84: 1/18/2006

			Ax.1	Ax.2	cm <sup>2</sup>	Total	% vs Baseline	% vs Previous
02/22/2006	CT	Abdomen _Bidimensional						
	1)	Right posterior segment hepatic lesion (tumor in liver)	0.7	x 0.5	= 0.35	0.35	0.0%	
04/26/2006	CT	Abdomen _Bidimensional						
	1)	Right posterior segment hepatic lesion	1.2	x 1.2	= 1.44	1.44	311.4%	311.4%
07/13/2006	CT	Abdomen _Bidimensional						
	1)	Right posterior segment hepatic lesion	1.1	x 1.1	= 1.21	1.21	245.7%	-16.0%
09/25/2006	CT	Abdomen _Bidimensional						
	1)	Right posterior segment hepatic lesion	0.9	x 0.7	= 0.63	0.63	80.0%	-47.9%
11/28/2006	CT	Abdomen _Bidimensional						
	1)	Right posterior segment hepatic lesion	0.7	x 0.6	= 0.42	0.42	20.0%	-33.3%
03/14/2007	CT	Abdomen _Bidimensional						
	1)	Right posterior segment hepatic lesion	0.7	x 0.6	= 0.42	0.42	20.0%	0.0%
08/10/2007	CT	Abdomen _Bidimensional						
	1)	Right posterior segment hepatic lesion		x	=	NVT	NVT=no visible tumor	
B 10/21/2005	CT	Chest _Bidimensional						
	1)	Right upper lobe, apex (6 tumors in lungs)	1.2	x 1.4	= 1.68			
	2)	Right upper lobe, apex	0.6	x 0.8	= 0.48			
	3)	Right lower lobe, conglomerate (superior segment)	1	x 1.4	= 1.40			
	4)	Right lower lobe conglomerate	1	x 1.5	= 1.50			
	5)	Left lower lobe	0.9	x 1.2	= 1.08			
	6)	Right lower lobe	0.8	x 1.2	= 0.96			
						7.10	0.0%	
84> 12/16/2005	CT	Chest _Bidimensional						
	1)	Right upper lobe, apex	1.3	x 1.5	= 1.95			
	2)	Right upper lobe, apex	0.7	x 0.9	= 0.63			
	3)	Right lower lobe, conglomerate (superior segment)	1.1	x 1.6	= 1.76			
	4)	Right lower lobe conglomerate	1.1	x 1.5	= 1.65			
	5)	Left lower lobe	1	x 1.4	= 1.40			
	6)	Right lower lobe	0.8	x 1.3	= 1.04			
						8.43	18.7%	18.7%
02/22/2006	CT	Chest _Bidimensional						
	1)	Right upper lobe, apex	1.3	x 1.5	= 1.95			
	2)	Right upper lobe, apex	0.7	x 0.9	= 0.63			
	3)	Right lower lobe, conglomerate (superior segment)	1.1	x 1.6	= 1.76			
	4)	Right lower lobe conglomerate	1.1	x 1.5	= 1.65			
	5)	Left lower lobe	1	x 1.4	= 1.40			
	6)	Right lower lobe	0.8	x 1.3	= 1.04			
						8.43	18.7%	0.0%

These records have been released for public viewing by written permission of the Hill family

## Tumor Measurements

**Hill, Kelsey**

010526

KEH-AD-02-05

Start Date: 10/26/2005

Stop Date:

*Measurements are in centimeters*

Start Date+84: 1/18/2006

		Ax.1	Ax.2	cm <sup>3</sup>	Total	% vs Baseline	% vs Previous
04/26/2006	CT Chest _Bidimensional						
	1) Right upper lobe, apex	0.6	x 1.2	= 0.72			
	2) Right upper lobe, apex	0.6	x 0.8	= 0.48			
	3) Right lower lobe, conglomerate (superior segment)	1	x 1.5	= 1.50			
	4) Right lower lobe conglomerate	1.1	x 1.4	= 1.54			
	5) Left lower lobe	0.8	x 1.3	= 1.04			
	6) Right lower lobe	0.7	x 1.2	= 0.84			
					6.12	-13.8%	-27.4%
07/13/2006	CT Chest _Bidimensional						
	1) Right upper lobe, apex		x	= TSTM			
	2) Right upper lobe, apex		x	= TSTM			
	3) Right lower lobe, conglomerate (superior segment)	1.1	x 1.5	= 1.65			
	4) Right lower lobe conglomerate	1	x 1.2	= 1.20			
	5) Left lower lobe	0.7	x 1	= 0.70			
	6) Right lower lobe	0.5	x 1	= 0.50			
					4.05	-43.0%	-33.8%
09/25/2006	CT Chest _Bidimensional						
	1) Right upper lobe, apex		x	= NVT			
	2) Right upper lobe, apex		x	= NVT			
	3) Right lower lobe (superior segment)	1	x 1.3	= 1.30			
	4) Right lower lobe	1	x 1.1	= 1.10			
	5) Left lower lobe	0.6	x 1	= 0.60			
	6) Right lower lobe	0.5	x 0.9	= 0.45			
					3.45	-51.4%	-14.8%
11/28/2006	CT Chest _Bidimensional						
	1) Right lower lobe (superior segment)	1	x 1.1	= 1.10			
	2) Right lower lobe	0.8	x 1	= 0.80			
	3) Right lower lobe	0.4	x 0.8	= 0.32			
	4) Right lower lobe	0.4	x 0.8	= 0.32			
					2.54	-64.2%	-26.4%
03/14/2007	CT Chest _Bidimensional						
	1) Right lower lobe (superior segment)	1	x 1.1	= 1.10			
	2) Right lower lobe	0.8	x 1	= 0.80			
	3) Right lower lobe	0.4	x 0.8	= 0.32			
	4) Right lower lobe	0.4	x 0.8	= 0.32			
					2.54	-64.2%	0.0%
08/10/2007	CT Chest _Bidimensional						
	1) Right lower lobe (superior segment)		x	= NVT			
	2) Right lower lobe		x	= NVT			
	3) Right lower lobe		x	= NVT			
	4) Right lower lobe	0.4	x 0.6	= 0.24			
					0.24	-96.6%	-90.6%

NVT=no visible tumor

These records have been released for public viewing by written permission of the Hill family

# Tumor Measurements

**Hill, Kelsey**

010526

KEH-AD-02-05

Start Date: 10/26/2005

Stop Date:

*Measurements are in centimeters*

Start Date+84: 1/18/2006

			Ax.1	Ax.2	cm <sup>2</sup>	Total	% vs Baseline	% vs Previous
12/14/2007	CT	Chest_Bidimensional						
	1) Right lower lobe (superior segment)		x	=	NVT			
	2) Right lower lobe		x	=	NVT			
	3) Right lower lobe		x	=	NVT			
	4) Right lower lobe		0.4	x	0.5 = 0.20			
						0.20	-97.2%	-16.7%
04/07/2008	CT	Chest_Bidimensional						
	1) Right lower lobe (superior segment)		x	=	NVT			
	2) Right lower lobe		x	=	NVT			
	3) Right lower lobe		x	=	NVT			
	4) Right lower lobe		0.4	x	0.6 = 0.24			
						0.24	-96.6%	20.0%
10/10/2008	CT	Chest_Bidimensional						
	1) Right lower lobe (superior segment)		x	=	NVT			
	2) Right lower lobe		x	=	NVT			
	3) Right lower lobe		x	=	NVT			
	4) Right lower lobe		0.4	x	0.5 = 0.20			
						0.20	-97.2%	-16.7%
01/16/2009	CT	Chest_Bidimensional						
	1) Right lower lobe (superior segment)		x	=	Resolved			
	2) Right lower lobe		x	=	Resolved			
	3) Right lower lobe		x	=	Resolved			
	4) Right lower lobe		0.4	x	0.5 = 0.20			
						0.20	-97.2%	0.0%
03/27/2009	CT	Chest_Bidimensional						
	1) Right lower lobe (superior segment)		x	=	Resolved			
	2) Right lower lobe		x	=	Resolved			
	3) Right lower lobe		x	=	Resolved			
	4) Right lower lobe		0.4	x	0.5 = 0.20			
						0.20	-97.2%	0.0%
02/13/2009	CT	Chest_UNK						
	1) Right lower lobe (superior segment)		x	=	Resolved			
	2) Right lower lobe		x	=	Resolved			
	3) Right lower lobe		x	=	Resolved			
	4) Right lower lobe		0.4	x	0.5 = 0.20			
						0.20	0.0%	
01/29/2006	MRI	Head_E						
			x	=	See the Comments			
04/10/2008	MRI	Head_E						
			x	=	See the Comments			
02/06/2009	MRI	Head_E						
			x	=	See the Comments			

Notice how the size of the last lesion remains unchanged. This was found to be an inactive, benign spot.  
 (By 2/13/09 all of Kelsey's lung cancer was gone.)

# Tumor Measurements

Hill, Kelsey  
010526  
KEH-AD-02-05

Start Date: 10/26/2005  
Stop Date:

*Measurements are in centimeters*

Start Date+84: 1/18/2006

		Ax.1	Ax.2	cm <sup>2</sup>	Total	% vs Baseline	% vs Previous
05/25/2006	PET Scan      Whole Body _UNK  The current study shows multiple foci of hypermetabolic uptake in the lung parenchyma, representing metastatic disease. These correspond with the pulmonary nodules noted in the CT scans of 04/26/06. Also noted is a focal hypermetabolic lesion present in the right posterior segment of the liver. This represents a metastatic deposit and corresponds with the hypodense lesion noted in the right posterior segment of the liver in the previous CT scans of 04/26/06. No other areas of abnormal uptake are identified.	x	=				+ve
04/07/2008	PET Scan      Whole Body _UNK  The previous PET scan of 2006 showed multiple areas of hypermetabolic activity, mainly involving the pulmonary nodules bilaterally, representing metabolically active metastatic disease. The current study does not show any abnormal activity in the lungs. Also noted was a focal hypermetabolic lesion in the right posterior segment of the liver which also is not present in the current study. The CT portion, however, continues to show a small pulmonary nodule measuring about 0.5 cm in the right lower lobe. It has been stable since the previous study of 12/14/07. The PET portion does not show any hypermetabolic activity for this lesion. No other abnormal activity is identified in the abdomen or pelvis. No hypodense lesions are present in the liver. No para-aortic lymphadenopathy. No ascites in the abdomen or pelvis.	x	=				-ve
07/21/2008	PET Scan      Whole Body _UNK  There is no pathological hypermetabolic activity noted throughout the whole body that would be consistent with metabolically active neoplasm. Distribution of the radionuclides is within normal limits. The patient is status post left nephrectomy. Incidentally noted is an enhancing mass in the choroid plexus of the right temporal horn, consistent with known choroid plexus papilloma. This mass does not reveal substantial FDG uptake. Non-specific, mild interstitial changes are noted in the upper lobe of the right lung. Clinical correlation is recommended. There is a pulmonary nodule in the lower lobe of the right lung that appear stable in the interval. There is a second tiny density in the right lower lobe that is unchanged in the interval.	x	=				-ve

These records have been released for public viewing by written permission of the Hill family

# Tumor Measurements

Hill, Kelsey

010526

KEH-AD-02-05

Start Date: 10/26/2005

Stop Date:

Measurements are in centimeters

Start Date+84: 1/18/2006

	Ax.1	Ax.2	cm <sup>3</sup>	Total	% vs Baseline	% vs Previous	CR
--	------	------	-----------------	-------	---------------	---------------	----


- CR - Complete Response
- NE - Non Evaluable
- PD - Progressive Disease
- PR - Partial Response
- SD - Stable Disease
- T - Too Soon To Evaluate

**Comments:**

MRI studies of the brain from 1/29/06 and 4/10/08 demonstrate right temporal choroid plexus lesion. The radiological diagnosis favors choroid plexus papilloma. The lesion on the study from 1/29/06 was detected retrospectively.

**choroid plexus papilloma=benign (noncancerous) lesion**

6/17/09  
Date

  
S.R. Burzynski M.D. Ph.D.

These records have been released for public viewing by written permission of the Hill family

Printed: 6/17/2009

Page 5 of 5

This report is sort in the following order: Type, Scan direction, Date.  
Tumor Measurements are in centimeters